

SAFE. EASY. MINIMALLY INVASIVE.

www.fkg.ch/r-motion

CONFIDENCE Through EASY-TO-USE, CONSERVATIVE Reciprocating Instruments

HIGH FLEXIBILITY

and safe progression thanks to the proprietary heat treatment process applied to R-Motion® instruments.

HIGH RESISTANCE

to cyclic fatigue enhancing patient safety.

HIGH CONTROL

for smooth, low-risk progression through an exclusive design and heat treatment technique.

The R-Motion® Product Range:

GLIDE PATH FILE R-Motion Glider SHAPING FILES R-Motion 25 R-Motion 30 R-Motion 40 R-Motion 50

- * Compared to multiple-file systems.
- ** Compared to standard reciprocating NiTi systems.
- *** Select the shaping instrument based on your therapeutic approach.

SIMPLICITY OF USE & TIME-SAVING*

via a single, all-inclusive shaping and reciprocating instrument.


MINIMALLY INVASIVE

reciprocation system thanks to its small tapers, offering better** respect of the canal anatomy.

UNIQUE GLIDE PATH

instrument, fully integrated to the R-Motion® concept.


ONE SEQUENCE TO FIT MOST CASES



SAFE and CONTROLLED Treatment


Higher Flexibility

Thanks to an exclusive heat treatment process, recognisable by the blue colour of the instrument, R-Motion® offers improved flexibility enabling clinicians to treat a wide range of canal anatomies.




Greater Resistance to Cyclic Fatigue

R-Motion® instruments have a high resistance to cyclic fatigue through our proprietary heat treatment. Higher cyclic fatigue resistance is known to reduce the risk of instrument fracture, hence improving patient safety.



Lower Screwing Effect

R-Motion® is designed to reduce the screwing effect, allowing the clinician to have a better control of the progression in the canal.




^{*} Based on internal laboratory results compared with equivalent competitors' instruments.


MINIMALLY INVASIVE Through a Combination of Tried-and-True Features

Better Respect of the Canal Anatomy

R-Motion®'s increased flexibility and design allows for better centring ability and respect of the canal anatomy.



The thinner core sizes of R-Motion® instruments are less invasive than equivalent competitors' files, diminishing the risk of excessive dentine removal and minimizing the impact on non-infected areas.



Improved Cutting Efficiency


The rounded triangular cross-section with sharp cutting edges and a new, optimised file tip**, provide the perfect combination for high cutting efficiency down to the apex, while preserving dentine.






Lower Stress on Dentine

The exclusive R-Motion® design and thinner core size significantly reduce the stress on dentine during root canal treatment.



** Patent pending.



Product References

RECIPROCATING GLIDE PATH INSTRUMENT R-Motion Glider 3× 21mm S1.7B0.00.0GM.FK 3× 25mm S1.7B0.00.0GN.FK 3× 31mm S1.7B0.00.0GO.FK

15/.03	3×	25mm	S1.7B0.00.0GN.FK		
	3×	31mm	S1.7B0.00.0G0.FK		
RECIPROCATING SHA	APIN	G INSTR	UMENTS		
R-Mot	tion :	25			
	3×	21mm	S1.7B0.00.0FR.FK		
25/.06	3×	25mm	S1.7B0.00.0FS.FK		
	3×	31mm	S1.7B0.00.0FT.FK		
R-Mot	tion :	30			
	3×	21mm	S1.7B0.00.0FI.FK		
30/.04	3×	25mm	S1.7B0.00.0FL.FK		
	3×	31mm	S1.7B0.00.0F0.FK		
R-Motion 40					
1333333	3×	21mm	S1.7B0.00.0FJ.FK		
40/.04	3×	25mm	S1.7B0.00.0FM.FK		
	3×	31mm	S1.7B0.00.0FP.FK		
R-Motion 50					
a production of the second	3×	21mm	\$1.7B0.00.0FK.FK		
50/.04	3×		S1 7B0 00 0FN FK		

3× 25mm S1.7B0.00.0FN.FK 3× 31mm S1.7B0.00.0FQ.FK

PAPER POINTS				
Box of 200 Paper Points				
	25/.06	08.610.06.025.BC		
	30/.04	08.610.04.030.BC		
	40/.04	08.610.04.040.BC		
	50/.04	08.610.04.050.BC		

GUTTA PERCHA				
Box of 60 Gutta Percha				
	25/.06	08.600.06.025.RE		
	30/.04	08.600.04.030.RE		
	40/.04	08.600.04.040.RE		
	50/.04	08.600.04.050.RE		

TOTALFILL® BC POINTS™				
Box of 60 BC Points				
	25/.06	08.650.06.025.RE		
	30/.04	08.650.04.030.RE		
	40/.04	08.650.04.040.RE		
	50/.04	08.650.04.050.RE		

50/.04 08.650.04.050.RE TOTALFILL® BC SEALER™ Syringe 2g + 15 TotalFill BC Tips



TOTALFILL® BC POINTS™ HIFLOW					
Box of 60 BC Points HiFlow					
	30/.04	08.650.04.030.HF			
	40/.04	08.650.04.040.HF			
	50/.04	08.650.04.050.HF			





08.650.00.008.XX

www.fkg.ch/r-motion

FKG Dentaire SA

Crêt-du-Locle 4
CH-2304 La Chaux-de-Fonds
Switzerland
T +41 32 924 22 44

info@fkg.ch www.fkg.ch

